



NCR CX7

Elite performance in a stunning POS system

For more information, visit orderman.com,
or email sales@orderman.com.



Advance your restaurant operations.

Highlights

- High-performance 8th generation Intel Core Processor
- Compact all-in-one POS terminal with a sleek zero-bezel design
- Projected capacitive (PCAP) high-brightness, anti-glare LCD with 10-point multi-touch
- Flexible mounting options: tabletop stand, pole or wall-mount
- Plenty of modern interfaces allow easy connection with optional add-ons
- 2 years of Care warranty included (extendable up to 6 years Care Gold)



Performance you can rely on. Always.

The CX7's sleek design carries forward NCR's rich heritage of innovation, adaptability, unrelenting toughness and sheer capability. It blends seamlessly into any restaurant environment, but under its unobtrusive good looks hides a powerful machine ready to respond instantly and keep your business running smoothly at all times.

Users will appreciate the CX7's lightning-quick speed and smooth, consistent "feel"—not to mention the razor-sharp anti-glare display that stays easy to read even in brightly lit environments. The CX7 couples this upscale design with best-in-class performance. Its exceptional versatility, ruggedness and unsurpassed data security makes the CX7 POS terminal NCR's top-of-the-line solution with outstanding style, capacity and power.



Technical specifications

Product dimensions

Terminal with 15.6" LCD and table-top stand:

- WIDTH 379,9mm
- DEPTH 193,8mm
- HEIGHT 305,6mm
- WEIGHT 4,92kg

Terminal with 15.6" LCD, no MSR and no stand:

- WIDTH 379,9mm
- DEPTH* 131mm
- HEIGHT 237mm
- WEIGHT 1,81kg

* Without hinge: Depth is 1.87" / 47,6mm with hinge

Processors (all 8th generation)

- Intel Core i5-8500T
- Intel Core i3-8100T
- Intel Celeron® G4900T

Motherboard technology

- Intel Q370 chip set ("Coffee Lake")
- On-board RAID support
- USB type C support
- Four (4) USB headers
(for internal peripheral connections)

Memory

- 8GB up to 32GB DDR4-2400 in 2 slots

Storage options

- Single 120GB M.2 solid-state drive
- Single 240GB M.2 or NVMe solid-state drive
- Dual/RAID 120GB M.2 solid-state drives

Operating systems

- Windows 10 IoT Enterprise 2019 LTSC

Connections (Hospitality I/O in terminal stand*)

- USB ports
 - 2 x USB 3.0 5V PC
 - 1 x 12V powered USB (P-USB)
 - 1 x 24V powered USB (P-USB)
 - 1 x USB-C (to display head)
- 4 x Serial (RJ12)
- 2 x Serial (RJ45)
- 1 x DisplayPort
- 2 x Cash drawer port (12V / 24V)
- 10/100/1000MB (Gigabit) Ethernet LAN

*An alternate I/O option with 2 additional 12V P-USB ports and 4 fewer serial ports is available

Displays

- 15.6" projected capacitive operator touchscreen, 16:9 aspect ratio, 1080 x1920 resolution
- All operator screen sizes support 10-point multi-touch
- Operator display flip with a rotation gyro sensor
- Customer displays: All-Points-Addressable graphical display; 7" or 10" color LCD touch or non-touch (XL7/XL10)
- All LCD displays: High-bright backlit with anti-glare
- Independent display I/O: Operator — internal connections Customer — DisplayPort
- 2-in-1 customer display

Integrated peripheral options

- 3-track encrypted MSR
- 2-in-1 key reader sign-in device (Addimat & Dallas)
- Biometric fingerprint reader
- Wireless; 802.11 AC & Bluetooth
- Imaging scanner

Other features

- Amplified internal speaker
- Image recovery button; Auto+ driver management
- Quiet, reliable single-fan design

Optional add-ons for the CX7

- Customer displays
- External 2-in-1 waiter lock
- Thermal printers
- Cash drawer

